



WI-DP9382D

Overview

Very thanks for you use our company products

These products use the latest high definition CCD image sensor, and combined with our company technology. have a good stability, high sensitivity, crystal-clear picture quality, beautiful shape and easy to install, can be good application your CCTV system.

Product Characteristic

Plastic dome camera

IR distance: 15M

Parameters Of Product

Items	Parameters
Image Sensor	1/3" Sony ICX673AK
Effective pixels	960(H)* 582(V)
Sync System	Internal
Minimum illumination	0.001 Lux (IR ON)
Resolution	800TVL
Auto White Balance	AUTO
Gain Control	AUTO
S/N Ratio	≥48dB (AGC OFF)
Auto Electronic Shutter	NTSC: 1/60~1/100,000 sec.
	PAL: 1/50~1/100,000 sec.
B.L.C.	AUTO
Video Output	Composite 1.0V p-p at 75 ohm
Gamma Correction	0.45
Operation Temperature	-10℃ TO 50℃
Humidity	within 85%RH
Power Supply	DC12V±1V / 280mA±10mA
Dimensions (L x W x H)	140mm* 140mm* 120mm
Lens	3.6mm
Weight	450g

^{*} Specifications are subject to change without notice.

http://www.nanotec.co.in Phone: +91-44-45587090 Skype: dineshku mar0409 Email: info@nanotec.co.in